

Abb. 93 Beispiel für Klassifizierung von Ernährungszustands-Indikatoren durch Prozent-Bereiche*

GENERAL ANTHROPOMETRIC STANDARDS OF REFERENCE

(1) WEIGHT FOR AGE, BIRTH TO 60 MONTHS, SEXES COMBINED *

Age (months)	Weight (kg)				
	Standard	90% standard	80% standard	70% standard	60% standard
0	3.4	3.0	2.7	2.4	2.0
1	4.3	3.7	3.4	2.9	2.5
2	5.0	4.4	4.0	3.4	2.9
3	5.7	5.1	4.5	4.0	3.4
4	6.3	5.7	5.0	4.5	3.8
5	6.9	6.2	5.5	4.9	4.2
6	7.4	6.7	5.9	5.2	4.5
7	8.0	7.1	6.3	5.5	4.9
8	8.4	7.6	6.7	5.9	5.1
9	8.9	8.0	7.1	6.2	5.3
10	9.3	8.4	7.4	6.5	5.5
11	9.6	8.7	7.7	6.7	5.8
12	9.9	8.9	7.9	6.9	6.0
31	13.7	12.4	11.0	9.7	8.2
32	13.8	12.5	11.1	9.8	8.3
33	14.0	12.65	11.2	9.9	8.4
34	14.2	12.8	11.3	10.0	8.5
35	14.4	12.9	11.5	10.1	8.6
36	14.5	13.1	11.6	10.2	8.7
37	14.7	13.2	11.8	10.3	8.8
38	14.85	13.4	11.9	10.4	8.9
39	15.0	13.5	12.05	10.5	9.0
40	15.2	13.6	12.2	10.6	9.1
41	15.35	13.75	12.3	10.7	9.2
42	15.5	13.9	12.4	10.8	9.3
43	15.7	14.0	12.6	10.9	9.4

*

(aus: D.B.Jelliffe: The Assessment of the Nutritional Status of the Community. WHO Monograph Ser.No.53, WHO, Genf, 196)