

Übersicht 39: Literaturauswahl von Studien mit mechanischen und elektronischen Aktivitäts-Registrier-Geräten.

Mechanische Geräte ("Schritt-Zähler", Pedometer)

Lauter, S.: Zur Genese der Fettsucht. Dtsch. Arch. Klin. 150: 315-365 (1926) (zit. in H.J. Montoye... Measurement of physical activity... Human Biol. 56: 195 (1984) Lit. Nr. 12.413)

Stunkard, A.: A method of studying physical activity in man. Amer. J. clin. Nutr. 8: 595-601 (1960).

Gayle, R.H., Montoye, H.J., Philpot, J.: Accuracy of pedometers for measuring distance walked. Res. Q. Exerc. Sports 48: 632-636 (1977)

Washburn, R.A., Chin, M.K., Montoye, H.J.: Accuracy of pedometer in walking and running. Res. Q. Exerc. Sports 51: 695-702 (1980)

Marsden, J.P., Montgomery, S.R.: A general survey of the walking habits of individuals. Ergonomics 15: 429-441 (1972)

Black-Sandler, R. et al.: Determinants of bone mass in the menopause. Prev. Med. 11: 269-280 (1982) (zit. in Laporte... Assessment of physical activity... Publ. Health Rep. 100: 131 (1985) Lit. Nr. 18.130)

LaPorte, R.E., Kuller, L.H., Kupfer, D.J. et al.: An objective measure of physical activity for epidemiologic research. Amer. J. Epidemiology 109: 158-168 (1979)

Kemper, H.C.G., Verschuur, R.: Validity and reliability of pedometers in habitual activity research. Europ. J. appl. Physiol. 37: 71-78 (1977)

Saris, W.H.M., Binkhorst, R.A.: The use of pedometer and actometer in studying daily physical activity in man. I. Reliability of pedometer and actometer. II. Validity of pedometer and actometer measuring during daily physical activity. Europ. J. appl. Physiol. 37: 219-228, 229-235 (1977) Lit. Nr. 2802/3

Ditschuneit, H.H., Klöhr, H.-U., Jäger, H., Jung, F., Homoki, J., Ditschuneit, H.: Untersuchungen an Kindern bei eiweiß- und fettreicher, kohlenhydratarmer Ernährung. Ernährungs-Umschau 26(8): 253-258 (1979) Lit. 5424

Elektronische Geräte

Bewegungs-Messungen

Brugger, W., Milner, M.: Computer-aided tracking of body movement using A.C.C.D. usage sensor. Med. Biol. Eng. Comput. 16: 207-210 (1978)

Morris, J.R.W.: Accelerometry - a technique for measurement of human body movements. J. Biomech. 6: 729-736 (1973)

Schulman, J.L., Stevens, T.M., Kupst, M.J.: The biomotometer: a new device for the measurement and remediation of hyperactivity. Child. Develop. 48: 1152-1154 (1977)

Wong, T.C., Webster, J.G., Montoye, H.J., Washburn, R.A.: Portable accelerometer device for measuring human energy expenditure. IEEE Trans. Biomed. Eng. BME 28: 467-471 (1981) (ref. Laporte... Assessment for physical activity... Publ. Hlth Rep. 100: 131.. (1985) Lit. Nr. 18.180)

- Montoye, H.J., Washburn, R., Servais, S., Ertl, A., Webster, J.G., Nagle, F.J.: Estimation of energy expenditure by a portable accelerometer. *Med.Sci.Sports.Exerc.* 15: 403-407 (1983) Lit.Nr.11.064
- Foster, F.G., Kupfer, D.J., Weiss, G., Lipponen, V., McPartland, R., Delgado, J.: Mobility recording and cycle research in neuropsychiatry, *J.interdisc. Cycle Res.* 3: 60-72 (1972)
- Foster, F.G., McPartland, R.J., Kupfer, D.J.: Motion sensors in medicine. I. A report on reliability and validity. II. Application in psychiatry. *J.inter-amer.Med.* 3:4-8,13-17(1978) (zit. in Montoye... *Human Biol.* 56:195 (1984) Lit.Nr.12.413)
- LaPorte, R.E., Kullner, L.H., Kupfer, D.J., McPartland, R., Matthews, G., Caspersen, C.: An objective measure of physical activity for epidemiologic research. *Amer.J.Epidem.* 109: 158-167 (1979) Lit.Nr.7431
- LaPorte, R.E., Blacksandler, R., Cauley, J.A., Link, M., Bayles, C., Marks, B.: The assessment of physical activity in older women - Analysis of the interrelationship and reliability of activity monitoring, activity surveys and calorie intake. *J.Gerontol.* 38(4): 394-397 (1983) Lit.Nr.10.776
- McPartland, R.J., Foster, F.G., Kupfer, D.J.: A computer-compatible multi-channel event counting and digital recording system. *Behav. Res.Meth.Instr.* 8: 299-301 (1976)
- McPartland, R.J., Kupfer, D.J., Foster, F.G.: The movement-activated recording monitor: a third-generation motor-activity monitoring system. *Behav.Res.Meth.Instr.* 8: 357-360 (1976)
- Schulman, J.L., Stevens, T.M., Kupst, M.J.: The Biomotometer: a new device for the measurement and remediation of hyperactivity. *Child Development* 48: 1152-1154 (1977)
- Colburn, T.R., Smith, B.M., Guarini, J.J., Simmons, N.W.: An ambulatory activity monitor with solid state memory. *ISA.BM 76332* (117-122) (1976)
- Mack, R.W., Kleinhenz, M.E.: Growth, caloric intake, and activity levels in early infancy: a preliminary report. *Human Biology* 46: 345-354 (1979)
- Massey, P.S., Lieberman, A., Batarsch, G.: Measure of activity level in mentally retarded children and adolescents. *Amer.J.ment.Def.*: 259-261 (1971)
- Johnson, C.F.: Hyperactivity and the machine: the actometer. *Child Development* 42: 2105-2110 (1971)
- Frost, J.D.: Triaxial vector accelerometry: a method for quantifying tremor and ataxia. *IEEE Trans. BME.* 25: 17-27 (1978).
- Reiker, D.M.: A portable multichannel recorder for vector accelerometry. *Proc.33rd ACEMB, Washington, D.C., Sept.30-Oct. 3, 1980, p.185* (zit. Montoye .. *Human Biol.*56:195(1984) Lit.12.413)
- Lipsey, E.M.: Electronic calorie counter: Patent application No.185,854, March, 4, 1980.
- Wong, T.C., Webster, J.G., Montoye, H.J., Washburn, R.: Portable accelerometer device for measuring human energy expenditure. *I.E.E.E. Transactions on Biomedical Engineering. BME - 28: 467-471* (1981)
- Borbely, A.A., Neuhaus, H.U., Mattmann, P., Waser, P.G.: Langzeitregistrierung der Bewegungsaktivität: Anwendungen in Forschung und Klinik. *Schweiz.med.Wschr.* 111: 730-735 (1981) Lit.Nr.9372

Prospekt der Fa. CASIO - Armband-Uhren mit Schrittzähler Lit. 8546 (1981)

Puls-Rate, usw.:

Baker, J.A.S., Humphrey, J.E., Wolff, H.S.: Socially acceptable monitoring instruments (SAMI) J.Physiol. 188: 4p-5p (1967)

Taylor, C.B., Kraemer, H.C., Bragg, D.A. et al.: A new system for long-term recording and processing of heart rate and physical activity in outpatients. Comput.Biomed.Res. 15: 7-17 (1982).

Bradfield, R.B.: A technique for determination of usual daily expenditure in the field. Amer.J.clin.Nutr. 24: 1148-1154 (1971).

Bradfield, R.B., Chan, H., Bradfield, N.E., Payne, P.R.: Energy expenditures and heart rates of Cambridge boys at school. Amer.J.clin.Nutr. 24: 1461-1466 (1971)

Bradfield, R.B., Paulos, J., Grossman, L.: Energy expenditure and heart rate of obese high school girls. Amer.J.clin.Nutr. 24: 1482-1488 (1971)

Wannold, T., Lenner, R.A.: Evaluation of the heart rate method to determine the daily expenditure in disease. A study of juvenile diabetics. Amer.J.clin.Nutr. 30: 304-315 (1977). Lit.Nr.7111

LeBlanc, J.A.: Use of heart rate as an index of work output. J.appl.Physiol. 10: 275-280 (1967).

Christensen, C.C. et al.: A critical evaluation of energy expenditure estimates based on individual O₂ consumption/heart rate curves and average daily heart rate. Amer.J.clin.Nutr. 37: 468-472 (1983).

Washborn, R.A., Montoye, H.J.: Validity of heart rate as a measure of mean daily energy expenditure. Med.Sci.Sports Exerc. 16: 196-197 (1984)

Goldsmith, R., Hale, T.: Relationship between habitual physical activity and physical fitness. Amer.J.clin.Nutr. 24: 1489-1493 (1971).

Taylor, C.B., Coffey, T., Berra, K., Iaffaldano, R., Casey, K., Haskell, W.L.: Seven-day activity and self-report compared to a direct measure of physical activity. Amer.J.Epidemiol. 120: 818-824 (1984) Lit.Nr.13.340

Baharestani, H., Tompkins, W.J., Webster, J.G., Mazess, R.B.: Heart rate recorder. Med.Biol.Eng.Comp. 17: 719-723 (1979)

Ballal, M.A., Basse, E.J., Blecher, A., Fentem, P.H., Hoodless, D.J., Mac Donald, I.A.: A portable minute heart rate recorder/decoder system for self-paced walking tests. J.Physiol.(Lond.) 298: 16p-17p (1980)

Dauncy, M.J., James, W.P.T.: Assessment of the heart-rate method for determining energy expenditure in man, using a whole-body calorimeter. Brit.J.Nutr. 42: 2-13 (1979)

Acheson, K.J., Campbell, I.T., Edholm, O.G., Miller, D.S., Stock, M.J.: The measurement of daily energy expenditure - an evaluation of some techniques. Amer.J.clin.Nutr. 33: 1155-1164 (1980).

Haight, J.S.J., Rimmer, D.B.: The use of SAMI heart rate integrator in a primitive community. J.Physiol. 189: 37p (1967)

Hunt, T.J., Marcus, P.: The investigation of habitual physical activity in bus crews using SAMI heart rate integrator. J.Physiol.: 189: 36p-37p (1967)

- Mansourian, P., Masironi, R., Nicoud, J.N., Steffen, P.: Recording the cardiac interbeat interval distribution. *J.appl.Physiol.*: 38: 542-545 (1975)
- Saris, W.H.M., Snel, P., Baecke, J., Waesberghe, F., Binkhorst, R.A.: A portable miniature solid-state heart rate recorder for monitoring daily physical activity. *Biotelemetry* 4: 131-140 (1977). Lit.Nr.7559
- Beschreibung des Gerätes: Lit.Nr.7560 Fa.Elbos, Nijmegen
- Saris, W.H.M., Snel, P., Binkhorst, R.H.: A portable heart rate distribution recorder for studying daily physical activity. *Europ.J.appl.Physiol.* 37: 17-25 (1977) Lit.Nr.2804
- Glavgov, S. et al.: Heart rates during 24 hours of usual activity for 100 normal men. *J.appl.Physiol.* 29(6): 799-805 (1970)
- Masironi, R., Mansourian, P.: Determination of habitual physical activity by means of a portable R-R interval distribution recorder. *Bull. WHO* 51: 291-298 (1974)
- Rutenfranz, J., Seliger, V., Andersen, K.L., Iilmarinen, J., Flöring, R., Rutenfranz, M., Flimmer, K.: Erfahrungen mit einem transportablen Gerät zur kontinuierlichen Registrierung der Herzfrequenz für Zeiten bis zu 24 Stunden. *Europ.J.appl.Physiol.* 36: 171-185(1977) Lit.Nr.7321
- Craig, D.L.: Microprocessor heart rate histogram recorder for ambulatory monitoring of daily physical activity. *Med.Biol.Engin. Computing* 19(3) 367-369 (1981) CC 24(20)133
- cardioESCORT - G-I-T-Markt & Medizin, EKG-Aufzeichnung, 370g Gerät, April 1982 Lit. 9.026
- Jacobsen, N.K., Stuart, J.L.: A field-portable, microprocessor-controlled, data processing and storing cardiometer. *Biotelemetry Patient Monitoring* 9: 80-88 (1982) Lit. 9619
- Ward, D.E. et al.: Assessment of the diagnostic value of 24-h ambulatory electrocardiographic monitoring. *Biotelemetry and Patient Monitoring* 7(2) 57-66 (1980) CC 23(47) 86
- Psychophysiologische Feldforschung: ZUMA-Arbeitstagung, 8.+9.2.85, ZUMA-Nachrichten No.16, S.59-62 (1985) Lit.Nr. 13.500
- Kashiwazaki, H., Inaoka, T., Suzuki, T., Tamada, T.: Daily energy expenditure of middle-aged Japanese housewives measured by 24-hour heart rate and diary. *Nutr.Res.* 5: 453-463 (1985) Lit.Nr.13.894