

Übersicht 80

Ausgewählte Literatur zur Anwendung multivariater statistischer
Auswertungsmethoden bei ernährungsepidemiologischen Studien

Schuchard-Fischer, Chr., Backhaus, K., Humme, U., Lohrberg, W., Plinke, W., Schreiner, W.: Multivariate Analyse-Methoden. Springer, Berlin, Heidelberg, New York, 2. Aufl., 1982 (selbst)

Ehrhardt, V., Täufel, A., Ruttloff, H., Seppelt, B.: Die Anwendung von multivariaten mathematisch-statistischen Methoden zur Lösung von Aufgaben der Ernährungswissenschaft, Nahrungsgüterwirtschaft und Lebensmitteltechnologie. Nahrung 28(3) 215-220 (1984) Lit.11.636

Ehrhardt, V., Rothe, M., Seppelt, B., Specht, M.: The application of multivariate mathematical-statistical methods to the solution of problems in nutrition theory, nutritional economics and food technology. Pt.5: Cluster analysis as a tool for profiling sensory attributes. Nahrung 30(2) 118-130 (1986) Lit.15.166

Drewnowski, A.: New techniques - multidimensional analysis of taste responsiveness. Intern.J.Obesity 8: 599-607 (1984) Lit.12.650

Drewnowski, A.: Food perceptions and preferences of obese adults - a multidimensional approach. Int.J.Obesity 9: 201-212 (1985) Lit.13.936 (MDS)

Jenkins, R.M., Guthrie, H.A.: Identification of index nutrients for dietary assessment. J.Nutr.Educ. 16(1): 15-18 (1984) Lit.12.598 (Faktoren-Analyse)

Bell, A.Ch. et al.: A method for describing food beliefs which may predict personal food choice. J.Nutr.Educ. 13(1) 22-26 (1981) Lit.12.829 (Faktoren-Analyse)

Eden, I. et al.: Perceived control of nutrition behavior. J.Amer. Diet.Ass. 84(11) 1334-1339 (1984) Lit.12.830 (Cluster, Faktor)

Bailey, S.M. et al.: Taxonomic identification of human fat patterns. Amer.J.physic.Anthropol. 59: 361-366 (1986) Lit.11.915 (Cluster)

Underwood, B.A. (ed): Methodologies for Human Population studies in nutrition related to health. (US-Japan-Malnutrition Panel) NIH-Rep. No. 82-2462, 193p., 1982 (selbst, Cluster, MDS)

Knox, S.S. et al.: The relation of social support and working environment to medical variables associated with elevated blood pressure in young males. A structural model. Soc.Sci.Med. 21(5) 525-531 (1985) Lit.14.047 (Pfadanalyse)

Werner, J., Alevensleben, R. von: Consumer attitudes toward organic food in Germany (FRG). Acta Horticulturae No.155, 221-267 (1984) ref.NAR55:5764(85) Lit.14.180 (Cluster)

Bieber, S.L., Smith, D.V.: Multivariate analyses of sensory data. Chem.Senses 11(1) 19-48 (1986) CC29(13)250

Munoz-Box, R.: Statistical evaluation of nutritional, neurochemical and behavioral data: a case study. Int.J.Vit.Nutr.Res. Sup.29 83-97 (1986) Lit.15.287

Schmoz, G. et al.: Der Ernährungstatus als diagnostische Methode zur Erfassung von Proteinmangelzuständen. Ernährungsforsch. 31(3) 75 (1986) (Cluster)

Brigitte: Kommunikationsanalyse No.2. Gruner & Jahr, Hamburg, 1986 (selbst; Cluster)

- Wingard, D.L. et al.: A multivariate analysis of health-related practices - a 9-year mortality follow-up of the Alameda County study. *Amer.J.Epidem.* 116(5) 765-775 (1982) CC25(52)180
- Attitude Theory and Measurement in Food and Nutrition Research. Proc.Symposium, 15.-17.6.1980, Penn.State University, 76p., 1981 (selbst) (Cluster)
- Kelly, J.T. et al.: Analysis of self-reported eating and related behaviors in an adolescent population. *Nutr.Res.* 2: 417-432 (1982) Lit.9.789 (Cluster, Faktoren)
- Drewnowski, A. et al.: Obesity and flavor perception: multidimensional scaling of soft drinks. *Appetite* 3: 361-368 (1982) Lit.10.259
- Fallon, A.E., Rozin, P.: The psychological basis of food rejections by humans. *Ecol.Food Nutr.* 13(1) 15-26 (1983) Lit.10.159(MDS)
- Pelchat, M.L., Rozin, P.: The special role of nausea in the acquisition of food dislikes by humans. *Appetite* 3: 341-351 (1982) Lit.10.160 (Varianz)
- Kok, F.J. et al.: Correlates of body mass index in 1926 Dutch men and women. *Human Nutr.Clin.Nutr.* 36C: 155-165 (1982) Lit.10.330
- Smith, M.F. et al.: Socioeconomic, education and health factor influencing growth of rural Haitian children. *Ecol.Food Nutr.* 13: 99-108 (1983) Lit.10.162 (multipl.Regr.)
- Johnson, A.A. et al.: Nutritional anemias among preschool children in Guyana. *Ecol.Food Nutr.* 13: 9-14 (1983) Lit.10.163(Mult.Reg)
- Reed, D. et al.: Social networks and CHD among Japanese men in Hawaii. *Amer.J.Epidem.* 117(4) 384-396 (1983) Lit.10.472
- Mendelson, R.A.: The influence of eating with a peer group on girl's food consumption. *J.Canad.Diet.Ass.* 43(Oct) 358- (1982) Lit.10.529 (Pfadanalyse)
- Leigh, J.P.: Direct and indirect effects of education on health. *Soc.Sci.Med.* 17(4) 227-234 (1983) Lit.10.533(Faktoren)
- Axelsson, M.L., Penfield, M.P.: Food and nutrition related attitudes of elderly persons living alone. *J.Nutr.Educ.* 15: 23-27 (1983) Lit.10.581 (Faktoren)
- Kozarevic, D. et al.: Drinking habits and death. *Int.J.Epidem.* 12(2) 145-150 (1983)
- Woolcott, D.M. et al.: A study of some aspects of food-related behavior among a group of men. *Human Nutr.Appl.Nutr.* 37A: 199-209 (1983) Lit.10.522 (Faktoren)
- Houser, H.B., Bebb, H.T.: Individual variation in intake of nutrient by day, month and season and relation to meal pattern: implications for dietary survey methodology. p.155-179 in NRC: Assessing changing food consumption patterns. Washington, 1981 (selbst, separat) (mult.Regr.)
- Arnaud, J. et al.: Peru - selecting beneficiaries for assistance programmes. *Food Nutr.Bull.(FAO)* 9(1) 3-13 (1983) Lit.10.800(Faktoren)
- Martorell, R. et al.: Characteristics and determinants of child nutritional status in Nepal. *Amer.J.clin.Nutr.* 39(1) 74-86 (1984) Lit.11.148
- Kromhout, D.: Body weight, diet and serum cholesterol in 871 middle-aged men during 10 years of follow-up (The Zutphen study) *Amer.J.clin.Nutr.* 38: 591-598 (1983)
- Lee, A.J. et al.: How nursing homes behave: a multi-equation model of nursing home behavior. *Soc.Sci.Med.* 17(23) 1897-1906 (1983) Lit.11.262

- BrUse,R.: Social factors of obesity: a path analytical approach. S.18-20 in:
- Wierenga,B.: Model and measurement methodology for the analysis of consumer choice of food products. S.21-28 in:
- Teutberg,H.J.: Nutritional behavior as a topic of social sciences AGEV-Schriftenreihe No.2, Beiheft der Ernährungs-Umschau, 1983
- Axelsson,M.L. et al.: Eating at a fast-food-restaurant. J.Nutr. Educ. 15(3) 94-98 (1983) Lit.12.828 (Faktoren)
- van der Beek, E.J. et al.: The relationship of diet, body composition, physical activity and quality of metabolic control to blood lipid levels in type-I diabetic men. Int.J.Sports Med. 5: 59-63 (1984) Lit.13.105 (mult.regr.)
- Pendleton,B.F., Yang,S.-O.W.: Socioeconomic and health effects on mortality declines in developing countries. Soc.Sci.Med. 20(5) 453-460 (1985) Lit.13.154 (Pfadanalyse)
- Foggin,P., Godon,D.: Cardiovascular mortality as it relates to the geographic distribution of employment in non-metropolitan Quebec. Soc.Sci.Med. 22(5) 559-569 (1986) Lit.15.958
- Iizumi,H., Amemiya,T.: Effect of food consumption pattern on total serum cholesterol level: a methodological approach. J.Nutr. Sci.Vitaminol. 32: 205-218 (1986) Lit.15.983
- Iizumi,H., Amemiya,T.: Physical conditions affecting food consumption patterns. Int.J.Vit.Nutr.Res. 56: 399-409, 411-417 (1986) Lit.16.859/60 (Faktorenanalyse)
- Pelto,G.H., Pelto,P.J., Lang'aho,M.S.: "Modern and "traditional" food use in West Finland: an example of quantitative pattern analysis Nutr.Res. 1(1) 63-71 (1981) Lit.9.346(Faktoren)
- Kelly,J.T., Patter,S.E., Johannes,A.: Analysis of self-reporting eating and related behaviors in an adolescence population. Nutr. Res. 2(4) 417-432 (1982) Lit.9.789(Cluster,Faktoren)
- Ducimetière,P.: Surveillance of dietary habits in the population with regard to cardiovascular diseases: data analysis problems. p.81-92 in de Backer,G.G. et al.: Surveillance of dietary habits in the population with regard to cardiovascular diseases. EURO-Nut No.2, Wageningen, 1983 (selbst)
- Caster,W.O., Drummond,S.K., Tanner,M.A.: Maternal diet and mental retardation in Southern Georgia, USA. Int.J.Vit.Nutr.Res. 54: 371-375 (1984) (Lit.12.824) (Cluster,Faktoren)
- Fetzer,J.N.: Typology of food preferences identified by Nutri-Food Sort. J.Amer.Diet.Ass. 85(8) 961-965 (1985) Lit.14.646(Faktoren)
- Windham,C.T., Windham,M.P., Wyse,B.W., Hansen,R.G.: Cluster analysis to improve food classification within commodity groups. J.Amer.Diet.Ass. 85(10) 1306-1314 (1985) Lit.14.647
- Akin,J.S., Guelkey,D.K., Popkin,B.M., Fanelli,M.T.: Cluster analysis of food consumption pattern of older Americans. J.Amer. Diet.Ass. 86(5) 616-624 (1986) Lit.16.568
- Wierenga,B.: Multidimensional models for the analysis of consumer's perceptions and preferences with respect to agricultural and food products. J.Agric.Economics 31: 83-98 (1980) Lit.7.865
- Worsley,A., Baghurst,P.A., Coonan,W., Peters,M.: A multi-dimensional scaling exploration of ten year olds' food combination rules. Ecol.Food Nutr. 14(1) 37-46 (1984) Lit.11.058
- Slovic,P.: Perception of risk. Science 236(4799) 280-285 (1987) Lit.19.690 (Faktoren-Analyse)

- Brito, G.N.O.: The Connors' abbreviated teacher rating scale: a factor analysis study in Brazil. *Braz.J.med.biol.Res.* 20(5) 553-556 (1987) CC31(2)191
- Paguio, L.P., Resurreccioni, A.V.A.: Preschool mother's perception of dairy products and vegetable uses. *Nutr.Rep.Intern.* 35(1) 79-86 (1987) Lit.18,711 (Faktoren)
- Axelsson, M.L., Kurinij, N., Brinberg, D.: An analysis of the four food groups using multidimensional scaling. *J.Nutr.Educ.* 18: 265-273 (1986) Lit.20.698
- Wedel, M., Hulshof, K.F.A.M.: Determinants of choice behavior of elderly people in the Netherlands with respect to meat products. *Contemporary research in Marketing. European Market Academy, Helsinki, Nr.1, 603-605 (1986) Lit.21.063*
- Wedel, M., Kistemaker, C.: Residual mean square clustering: a method for finding clusters of consumer with similar preference weights. *Contemporary Research in Marketing, Nr.2, WD1-WD4, 1987 Lit.21.064*
- Winkler, E.-M., Sokal, R.R.: A phenetic classification of Kenyan tribes and subtribes. *Human Biology* 59(1) 121-144 (1987) Lit.19.940 (Cluster)
- Piggott, J.R.: Food preferences and food selection. p.104-110 in Bateman, E.C.: *Applied nutrition II*, Libbey, London, 1984 Lit.20.410 (Cluster)
- Groves, F.D., Zavala, D.E., Correa, P.: Variation in international cancer mortality: factor and cluster analysis. *Int.J.Epidem.* 16(4) 501-508 (1987) Lit.24.402
- Parra, H.J., Puchois, P., Demarquilly, J., Fruchart, J.Ch.: Multivariate analysis of alcohol consumption markers. Use of lipoprotein parameters. *Pathol.Biol.* 35(9) 1230-1234 (1987) CC30(49)129
- Vark, G.N. van, Howells, W.W.: *Multivariate statistical methods in physical anthropology*. Reidel, Dordrecht, 433p., 1984 Lit.19.922
- Kühnel, S.: Ein LISREL-Test von multivariaten Mittelwertdifferenzen bei inhomogenen Varianzen und Kovarianzen. *Informationen des Zentralarchives für emp.Sozialforsch.*, Köln, Nr.21, 52-58 (1987) Lit.20.020
- Shah, C.: The demand for higher-status food and nutrition in rural India: The experience of Matar Taluka. II: Regression analysis. *Food Nutr.Bull.(UNU)* 8(3) 49-62 (1986) Lit.20.314
- Chaudhury, R.H.: Determinants of dietary intake and dietary adequacy for pre-school children in Bangladesh. *Food Nutr.Bull.(UNU)* 6(4) 24-33 (1984) Lit.20.893
- Fang, C.-L., Sherman, W.M., Crouse, S.F., Tolson, H.: Exercise modality and selected coronary risk factors: a multivariate approach. *Med.Sci.Sports* 20(5) 455-462(1988) CC31(47)116
- Monsen, E.R., Cheney, C.L.: Research methods in nutrition and dietetics: design, data analysis and presentation. *J.Amer.Diet.Ass.* 88(9) 1047-1055 (1988) Lit. 23.080
- Gex-Fabry, M., Raymond, L., Jeanneret, O.: Multivariate analysis of dietary patterns in 939 Swiss adults: sociodemographic parameters and alcohol consumption profiles. *Int.J.Epidem.* 17(3) 548-555 (1988) CC31(50)228
- Ennis, D.M.: Multivariate sensory analysis. *Food Technology* 42(11) 118-122 (1988) Lit.23.270

- Resurreccion, A.V.A.: Applications of multivariate methods in food quality evaluation. Food Technology 42(11) 128-134 (1988) Lit.23.271
- Schutz, H.G.: Multivariate analyses and the measurement of consumer attitudes and perceptions. Food Technology 42(11) 141-144 (1988) Lit.23.272
- Mullet, G.M.: Applications of multivariate methods in strategic approaches to product marketing and promotion. Food Technology 42(11) 151-156 (1988) Lit.23.273
- Goldschmidt, H.M.J., Scholten, M.N.M.: Medicometrie - Die Selektion von relevanten klinisch-chemischen und hämatologischen Variablen mit multivariaten statistischen Techniken. Laborat.Med. 13: 48-68 (1989) Lit.23.534
- Vogler, G.P. et al.: Multivariate analysis of lipoprotein cholesterol fractions. Amer.J.Epidem. 125(4) 706-719 (1987) Lit.20.088
- Evans, S.J.W.: Research methods in epidemiology. 1. Uses and abuses of multivariate methods in epidemiology. J.Epidem. Commun. Health 42(4) 311-315 (1988) CC32(6)250
- White, F.D., Resurreccion, A.V.A., Lillard, D.A.: Consumer characteristics, food related attitudes and consumption of meat and meat products. Nutr.Res. 8: 1333-1344 (1988) lit.24.062
- Voogt, H.J. de, Suciu, S., Sylvester, R., Pavone-Macaluso, M., Smith, P.H., Pauw, M.de: Multivariate analysis of prognostic factors in patients with advanced prostatic cancer. J.Urology 141(4) 883-888 (1989) CC32(19)242
- Rothman, K.J., Poole, Ch.: A strengthening programme for weak associations. Int.J.Epidem. 17(4, Sup1) 955-959 (1988) Lit.24.401
- van Staveren, W.A., Burema, J., Deurenberg, P., Katan, M.B.: Weak associations in nutritional epidemiology: the importance of replication of observations on individuals. Int.J.Epidem. 17(4, Suppl) 964-969 (1988) lit.24.400
- Rothman, K.J.: Modern Epidemiology. Little, Brown, Boston, Toronto, 1986 (Chapter 14. Multivariate analysis)
- Lewis, C.J., Sims, L.S., Shannon, B.: Examination of specific nutrition/health behaviors using a social cognitive model. J.Amer. Diet.Assoc. 89: 194-202 (1989) Lit.24.411

Zeitreihen:

- Reither, F.: Einigen Eigenschaften von Zeitreihen. Manuskript, Fb Psychologie. Univ. Bamberg, 1984 /Lit.11.459
- Wu, M.: Time-of-measurement effects in longitudinal studies. J. chron.Dis. 33: 207-213 (1980) lit.9787
- Fager, G. et al.: Seasonal variations in serum lipid and apolipoprotein levels evaluated by periodic regression analyses. J.chron.Dis. 35(8) 643-648 (1982) NAR53:2715
- Heimendinger, J. et al.: The effects of the WIC program on the growth of infants. Amer.J.clin.Nutr. 40: 1250-1257 (1984) Lit.12.756
- Borgers, D. et al.: Studie zur gesundheitlichen Auswirkung von Tagen mit erhöhter Luftverunreinigung in Berlin (West): Winter 1982/83. SozEp-Hefte 2/1984, BGA, Berlin (155 S.) (selbst separat)

Goldstein, H.: Efficient statistical modelling of longitudinal data. *Ann. Human Biol.* 13(2) 129-142 (1986) CC29(26)135
Workshops "Analyse von Zeitreihen" - Zentralarchiv für empirische Sozialforschung - Univ.Köln, Informationen Nr.15 - Lit.12.501, Nr.19 - Lit.16.721; Informationen Nr.20, Lit.18.161

ergänzende Lit.Hinweise - (ansich vorher - S.1/2 einzuordnen)

Waller, H.: Multivariate Analyse nicht-metrischer Daten. Zur Anwendung in der epidemiologischen Forschungspraxis. *Öffent.Ges.Wesen* 40: 700-705 (1978) Lit.4428

Weinberg, P. et al.: Path analysis of environmental and genetic influences on blood pressure. *Amer.J.Epidem.* 109(5) 588-596 (1976) Lit.5533

Gray, L.C.: Consumer satisfaction with physician provided services - a panel study. *Soc.Sci.Med.* 14A: 65-73 (1980) Lit.8241/Pfadanalyse

Yatley, E.A., Roderuck, C.: Nutritional knowledge and health goals of young spouses. *J.Amer.Diet.Ass.* 77(1) 31-41 (1980) Lit.8436/Pfadanalyse

Strobl, C.M., Groll, L.: Professional knowledge and attitudes on vegetarianism. *J.Amer.Diet.Ass.* 79(5) 568-574 (1981) Lit.8789/Pfadanalyse

Kennedy, E.T. et al.: Evaluation of the effect of WIC supplement feeding on birth weight. *J.Amer.Diet.Ass.* 80(3) 220-227, 227-230 (1980) (Pfadanalyse)

Stevens, D.A., Lawless, H.T.: Age-related changes in flavor perception. *Appetite* 2(2) 127-136 (1981) Lit.8612/MDS

Hobbs, P. et al.: Factor analysis and validation of the General Health Questionnaire in men. *Brit.J.Psychiat.* 144: 270-275 (1984) CC27(19)259

Heemskerk, J.J. Faktorenanalyse. Anwendungsmöglichkeiten im Rahmen des Marketing. *GFM-Mitteil.-Markt-Absatzforsch.* 18(3) 85-88, 90-92(1972)

Mendelson, R.A.: The influence of eating with a peer group on girls' food consumption. *J.Canad.Diet.Ass.* 43(4) 353-357 (1982) Lit.11.616 (Pfadanalyse)

Worsley, A. et al.: Australian 10-year-old's perceptions of food. III. The influence of obesity status. *Int.J.Obesity* 8:327-340 (1984) Lit.12.409 (MDS)

Werner, J.: Einstellungen zum Produkt und Einstellungen zum Produktbereich als Grundlage einer Konsumententypologie. *Marketing-ZFP*, Heft3, S.157-164, Aug.1982 Lit.9644(Cluster)

Tölle, K.: Die Bedeutung von Informationsinhalten beim Kauf von Konsumgütern. *Marketing-ZFB*, Heft 3, S.176-182, Aug.1982 Lit.9645 (Faktoren)

Calliendo, M.A. et al.: Iron intakes and serum ferritin levels in developmentally delayed children. *J.Amer.Diet.Assoc.* 81: 401-406 (1982) Lit.9659

Ennis, D.M. et al.: Multivariate analysis in sensory evaluation. *Food Technology* 36(11) 83-90 (1982)

Cardello, A.V. et al.: Sensory evaluation of the texture and appearance of 17 species of North Atlantic fish. *J.Food Sci.* 47(6) 1818-1823 (1982) (MDS)

- Crepin, C.R. et al.: Comparison of two methods to evaluate nutrient intakes in French Canadian adults. *Nutr. Res.* 2: 433-433 (1982) Lit.9816 (mult.Reg)
- Aguillon, C. et al. The relationships of family characteristics to the nutritional status of pre-school children. *Food Nutr. Bull. (UNU)* 4(4) 5-12 (1982) (mult.Regr)
- Raillard, U. et al.: Factors in relation to alcohol consumption of women - a discriminant analysis. *Arch. Psych. Nervenkrank.* 232(3) 265-280 (1982) CC26(6)203
- Picone, P.A. et al.: Pregnancy outcome in North American women. *Amer. J. clin. Nutr.* 36(6) 1205-1213, 1214-1224 (1982) Lit.9909(pathanalysis)
- Balderston, J.B., Wilson, A.B., Freire, M.E., Simonen, M.S.: Malnourished children of the rural poor. Auburn House Publ., Boston(Mass), 1981 (selbst)