

.he Korrelationen /Nährstoff-Aufnahme/biochem.Indikator #
Fortsetzung der Übersicht 81
Auswahl von Ergebnissen über die Korrelationen zwischen
Nährstoff-Aufnahmen und biochemischen Indikatoren

ergänzende Literaturhinweise:

- Kern, E.R., Lee, E.S., Lam, M.-K., Lorinor, R.J., Randall, E., Fort-
hofer, R.N., Davis, M.A., Magnetti, S.M.: Relationship between
dietary and biochemical measuring of nutritional status in HANES
I data. *Amer.J.clin.Nutr.* 35(2) 294-307 (1982) Lit.9407
- van Beresteyn, E.C.H., van't Hoff, M.A., de Waard, H., Dekker, P.R.,
Neeter, R., Winkeldermaat, H.J., Visser, R.M., Schaafsma, G., van
Schaik, M., Duursma, S.S.: Design and data quality of a mixed
longitudinal study to elucidate the role of dietary calcium and
phosphorus on bone mineralization in pre-, peri-, and post-
menopausal women. *Amer.J.clin.Nutr.* 43: 538-548 (1986) Lit.15.
- Mertz, W. et al.: Beltsville One-Year Dietary Intake Study. *Amer.*
J.clin.Nutr. 40: 1323-1403 (1984) Lit.12.731/742
- Breskin, M.W., Trahms, C.M., Worthington-Roberts, B., Labbe, R.F.,
Koslowski, B.: Supplement use: vitamin intakes and biochemical
indices in 40- to 108-month-old children. *J.Amer.Diet.Ass.* 85(1)
49-56 (1985)
- Hautvast, J.G.A.J., Klaver, W. (eds): The diet factor in epidemiolo-
gical research. EURO-NUT-Report No.1, Wageningen, 1982
- Plough, I.C., Bridforth, E.B.: Relations of clinical and dietary
findings in nutrition surveys. *Public Hlth Rep.* 75(8) 699-706
(1960) Lit.2113/6989
- Narita, T., Suzuki, H., Sanada, K., Igarashi, Y., Hiraide, M.:
Correlation analyses on food consumptions and physical conditions
in the Japanese middle-aged men at a rural city in Tohoku Region.
Nutr.Rep.Intern. 36(3) 661-667 (1987) Lit.19.420
- Schutz, H.G.: Prediction of nutritional status from food consump-
tion and consumer attitude data. *Amer.J.clin.Nutr.* 35(5) 1310-
1318 (1982) (selbst: Supplem: Nutr.Status)
- Reiter, L.A., Boylan, L.M., Driskell, J., Moak, S.: Vitamin B12 and
folate intakes and plasma levels of black adolescent females.
J.Amer.Diet.Ass. 87(8) 1065-1067 (1987) Lit.20.231
- Garry, P.J. et al.: Vitamin A intake and plasma retinol levels in
healthy elderly men and women. *Amer.J.clin.Nutr.* 46(6) 989-994
(1987) Lit.20.296
- Osancová, K.: Correlation of food consumption and biochemical data
in epidemiological surveys of the nutritional status. *Bibl.Nutr.*
Diet. 20: 186-188 (1974) Lit.20.930
- Huse, D.M., Nelson, R.A., Briones, E.R., Hodgson, P.A.: Urinary
nitrogen excretion as objective measure of dietary intake. *Amer.*
J.clin.Nutr. 27(8) 771-773 (1974) Lit.20.931
- Lehmann, J. et al.: Vitamin E and relationship among tocopherols
in human plasma, platelets, lymphocytes and red blood cells.
Amer.J.clin.Nutr. 47: 470-474 (1988) lit.21.126
- Stryker, W.C. et al.: The relation of diet, cigarette smoking and
alcohol consumption to plasma β -carotene and α -tocopherol levels
Amer.J.Epidem. 127(2) 283-296 (1988) Lit.21.396
- Driskell, J.A. et al.: Plasma pyridoxal phosphate concentrations
of men fed different levels of vitamin B-6. *Amer.J.clin.Nutr.* 48:
122-126 (1988) Lit.22.377

Worthington-Roberts, B.S. et al.: Iron status of premenopausal women in a university community and its relationship to habitual dietary sources of protein. *Amer.J.clin.Nutr.* 47: 275-279 (1988) Lit.21.215

Sahvoun, N.R. et al.: Dietary intakes and biochemical indicators of nutritional status in an elderly institutionalized population. *Amer.J.clin.Nutr.* 47: 524-533 (1988) Lit.20.982

Habicht, J.-P., Schwedes, J.A., Arroyave, G., Klein, R.E.: Biochemical indices of nutrition reflecting ingestion of a high protein supplement in rural Guatemalan children. *Amer.J.clin.Nutr.* 26(10) 1046-1052 (1973) Lit.21.313

Wirths, W. et al.: Einfluß einer ovo-lakto-vegetarischen Kost auf Ernährungs- und Blutstatus. *Z.Ernährungsw.* 27(2) 84-100 (1988) Lit.21.777

Laitinen, R., Räsänen, L., Vuori, E.: Serum zinc and copper in relation to diet in 3- to 18-year old Finnish girls and boys. *Europ.J.clin.Nutr.* 42: 911-918 (1988) lit.23.030

Roidt, L., White, E., Goodman, G.E., Wahl, P.A., Omenn, G.S., Rollins, B., Karkeck, J.M.: Association of food frequency questionnaire estimates of vitamin A intake with serum vitamin A levels. *Amer.J.Epidem.* 128(3) 645-654 (1988) Lit.23.061

Arab-Kohlmeier, L., Sichert-Oevermann, W., Schettler, G.: Thiaminzufuhr und Thiaminstatus der Bevölkerung der Bundesrepublik Deutschland. *Suppl.Sitzungsberichte der mat.-naturw.Klasse der Akad.Wiss.Heidelberg; Srpinger, Heidelberg, 1988 (selbst)*

Krasinski, S.D. et al.: Relationship of vitamin A and vitamin E intake to fasting plasma retinol, plasma tocopherol and cholesterol among elderly people and young adults. *Amer.J.clin.Nutr.* 49(1) 112-120 (1989)

Clevidence, B.A., Marshall, M.W., Canary, J.J.: Biotin levels in plasma and urine of healthy adults consuming physiological doses of biotin. *Nutr.Res.* 8: 1109-1118 (1988) Lit.23.999

Itoh, R. et al.: Biochemical assessment of vitamin status in "healthy" elderly Japanese: relationships between intakes and biochemical measures of thiamine, riboflavin and ascorbic acid. *Nutr.Rep.Intern.* 39(3) 509-519 (1989) Lit.23.907

Houwelingen, A.C. van, et al.: Comparison between habitual intake of polyunsaturated fatty acids and their concentrations in serum lipid fractions. *Europ.J.clin.Nutr.* 43(1) 11-20 (1989) Lit.23.963

Herbeth, B. et al.: Dietary intake and other determinants of blood vitamins in an elderly population. *Europ.J.clin.Nutr.* 43: 175-186 (1989) Lit.24.256