

Literaturauswahl zur Berücksichtigung der körperlichen Konstitution bei anthropometrischen Messungen

s. Lit. Oltersdrof 84.81

Conrad, K.. der Konstitutionstypus. Springer, Berlin, Göttingen, Heidelberg, 2. Aufl., 1963

Knussmann, R.: Entwicklung, Konstitution, Geschlecht. In: P. E. Becker (Hrsg.): Humangenetik. Stuttgart, Bd I/1, 1968, S. 280-437, Lit. 7427

Möhr, M., Milev, M.: Anthropometrische Untersuchungen und konstitutionsbiologische Einschätzungen als Grundlage für die Charakterisierung des Zusammenhanges zwischen Ernährung und Körperzustand. 1. Einführung in die Problematik. 2. Methodologische und methodische Grundlagen. 3. Praktische Durchführung der Körpermessungen und Bestimmung des Optimalgewichts unter Berücksichtigung des Körperbautyps. Nahrung a)10:499-508(1966), b) 529-539, c)11:107-115(1967) Lit. 7316

Beunen, G., Claessens, M. A., Levevre, J., Ostyn, M., Renson, R., Simons, J.: Somatotype as related to age at peak velocity and to peak velocity in height, weight and static strength in boys. Human Biology, 59(4):641-655(1987) Lit. 19.864

Katch, F. I., Behnke, A. R., Katch, V. L.: The ponderal somatogramm: evaluation of body size and shape from anthropometric girths and stature. Human Biology, 59(3):439-458(1987) Lit. 19.882

Garn, S. M., Pesick, S. D., Hawthorne, V. M.: The bony chest breadth as a frame size standard in nutritional assessment. Amer. J. clin. Nutr., 37:315-318(1983) Lit. 10.113

Frisancho, A. R., Flegel, P. N.: Elbow breadth as a measure of frame size for US males and females. Amer. J. clin. Nutr., 37:311-314(1983) Lit. 10.113

Frisancho, A. R.: New standards of weight and body composition by frame size and height for assessment of nutritional status of adults and elderly. Amer. J. clin. Nutr., 40(4):808-819(1984) Lit. 12.377

Garn, S. M.: An elbow breadth gauge for determining "frame size". Ecol. Food Nutrition, 15:73(1984) Lit. 12.119

Baecke, J. A. H., Burema, J., Deurenberg, P.: Body fatness, relative weight and frame size in young adults. Brit. J. Nutr., 48:1-6(1983) Lit. 9181 (Kniebreite)

Hartz, A. J., Rupley, D. C., Rimm, A. A.: The association of girth measurements with diseases in 21 065 women. Amer. J. Epidem., 119:71-80(1984)

Jones, P. R. M., Hunt, M. J., Brown, T. P., Norgan, N. G.: Waist-hip circumference ratio and its relation to age and overweight in British men. Human Nutr. Clin. Nutr., 40C:239-247(1986)

Haffner, S. M., Stern, M. F., Hazuda, H., Pugh, J., Patterson, J. K., Malina, R.: Upper body and centralized adiposity in Mexican American and non-hispanic whites: relationship to body mass index and other behavioral and demographic variables. *Int. J. Obesity*, 10:493-502(1986) Lit. 16.821

Haffner, S. M. et al.: Do upper-body and centralized adiposity measure different aspects of regional body fat distribution? Relationship to non-insulin-dependent diabetes mellitus, lipids and lipoproteins. *Diabetes*, 36(1):43-51(1987) CC 30(5)134

Nowak, R. K., Schulz, L. O.: A comparison of two methods for the determination of body frame size. *J. Amer. Diet. Assoc.*, 87(3)339-341(1987) Lit. 19.958

Martorell, R., Mendoza, F. S., Castillo, R. O., Pawson, I. G., Budge, C. C.: Short and plump physique of Mexican-American Children. *Amer. J. physical Anthropol.*, 73:475-487(1987) Lit. 19.967

Vague, J.: The degree of masculine differentiation of obesities: a factor determining predisposition to diabetes, atherosclerosis, gout and uric cloulous disease. *Amer. J. clin. Nutr.*, 4(1):20-34(1956) Lit. 13.811

Hartz, A. J., Rupley, D. C., Kalkhoff, R. D., Rimm, A. A.: Relationship of obesity to diabetes: influence of obesity level and body fat distribution. *Prev. Med.*, 12:351-457(1983)

Gillum, R. F.: The association of the ratio waist to hip girth with blood pressure, serum cholesterol and serum uric acid in children and youths aged 6-17 years. *J. chron. Dis.*, 40(5):413-420(1987) Lit. 18.600

Gillum, R. F.: The association of body fat distribution with hypertension, hypertension heart disease. CHD, diabetes and cardiovascular risk factors in men and women. *J. chron. Dis.*, 40(5):421-428(1987) Lit. 18.601

Lapidus, L., Bengtsson, C., Larsson, B., Pennert, K., Rybo, E., Sjöstrom, L.: Distribution of adipose tissue and risk of cardiovascular disease and death: a 12 year follow up of participants in the populatin study of women in Gothenburg, Sweden. *Brit. Med. J.*, 289:1257-1261(1984) Lit. 13.812

Larsson, Bo., Svärdsudd, K., Welin, L., Wilhelmsen, L., Björntorp, F., Tibblin, G.: Abdominal adipose tissue distribution, obesity and risk of cardiovascular disease and death: 13 ear follow up of perticopants in the study of men born in 1913. *Brit. Med. J.* 288:1401-1404 Lit. 13.813

Mueller. W. H.: The changes with age of the anatomical distribution of fat. *Soc. Sci. & Med.*, 16(2):191-196(1982) Lit. 9753

Müller, W. H.: The genetics of human fatness. *Yearbook of physical Anthropology*, 26:215-230(1983) Lit. 12.569

Müller, W. H., Stallones, L.: Anatomical distribution of subcutaneous fat: skinfold site choice and construction of indices. *Human Biology*, 53(3):321-335(1981)

Kissebah, A. H., Vydelingum, N., Murray, R., Evans, D. J., Harts, A. J., Kalkhoff, R. K., Adams, P. W.: Relation of body fat distribution to metabolic complications in obesity. *J. clin. Endocrin. Metabol*, 54(2):254-260(1982), CC25(9)180

Bailey, S. M., Garn, S. M., Katch, V. L., Guire, K. E.: Taxonomic identification of human fat patterns. *Amer. J. physic. Anthropol*, 59:361-366(1982) Lit. 11.915

Norgan, N. G., Ferro-Luzzi, A.: Principles components as indicators of body fatness and subcutaneous fat patterning. *Human Nutr. Clin. Nutr.*, 39C:45-53(1985) Lit. 13.634

Symposium: "Anatomical and enzyme histochemical differentiation of adipose tissue". *Int. J. Obesity*, 9, Suppl.1:190 p, 1985, Lit. 14.531

Seidell, J. C., Bakx, J. C., Boer, E. de, Deurenberg, P., Hautvast, J. G. A. J.: Fat distribution of overweight persons in relation to morbidity and subjective health. *Int. J. Obesity*, 9:363-374(1985) Lit. 14.755

Krotkiewski, M., Björntorp, P., Sjöström, L., Smith, U. Impact of obesity on metabolism in men and women. Importance of regional adiposity on metabolism in men and women. Importance of regional adipose tissue distribution. *J. clin. Invest.* 72(9):1150-1162(1983) Lit. 13.814

Rebuffé-Scrive, M., Enk, L., Crona, N., Lönnroth, P., Abrahamsson, L., Smith, U., Björntorp, P.: Fat cell metabolism in different regions in women. *J. clin. Invest.*, 75:1973-1976(1985) Lit. 13.815

Björntorp, P.: Regional patterns of fat distribution. *Ann. Intern. Med*, 103(6/pt2):994-995(1985) Lit. 16.000

Ducimetiere, P., Richard, J., Cambien, F.: The patterns of subcutaneous fat distribution in middle-aged men and the risk of coronary heart disease: The Paris Prospective Study. *Int. J. Obesity*, 10:229-240(1986) Lit. 16.011

Ama, P. F. M., Poehlman, E. T., Simoneau, J. A., Boulay, M. R., Thériault, G., Tremblay, A., Bouchard, C.: Fat distribution and adipose tissue metabolism in non-obese male black African and Caucasian subjects. *Int. J. Obesity*, 6(2):503-10(1986)

Ashwell, M., Chinn, S., Stalley, S., Garrow, J. S.: Female fat distribution – a photographic and cellularity study. *Int. J. Obesity* 2(3):289-302(1987)

Ashwell, M., Chinn, S., Stalley, S., Garrow, J. S.: Female fat distribution - a simple classification based on two circumference measurements. *Int. J. Obesity*, 6(2):143-152(1982) Lit. 8962 (waist, thigh circumference)

Stern, M. P., Haffner, S. M.: Body fat distribution and hyperinsulinemia as risk factors for diabetes and cardiovascular disease. *Arteriosclerosis*, 6(2): 123-130(1986) CC29(15):105

Becque, M. D. et al.: Relationship of fat patterning to coronary artery disease risk in obese adolescents. *Amer. J. physic. Anthropol.*, 71(4):423-430(1986) CC 30(3)131

Seidell, J. C., Deurenberg, P., Hautvast, J. G. A. J.: Obesity and fat distribution in relation to health – current insights and recommendations. *World Rev. Nutr. Diet.*, 50:57-91(1987) Lit. 17.871

Hauner, H.: Distribution of adipose tissue and risk of obesity. *Dtsch. Med. Wschft.* 112(8): 709-713(1987) CC 30(22)129

McKay, F. C., Durnin, et al.: Height, weight, “fatness” and body build of a large sample of British adults. *Proc. Nutr. Soc.*, 40:107A(1981)

Jensen, R. K.: Age and body type comparisons of the mass distribution of children. *Growth*, 4545(3):239-251(1981) CC 25(1)150

Garn, S. M. et al.: Does “central” obesity predict coronary artery disease. *Lancet* i(8547):1438(1987) CC 30(27)135

McLaren, D. S.: Three limitations of the BMI. *Amer. J. clin. Nutr.*, 46:121(1987) Lit. 18.738

Müller, W. H.: Joos, S. K.: Android (centralized) obesity and somatotypes in men: association with mesomorphy. *Ann. Human. Biol.*, 12(4):377 ff(1985) CC 28(36)107

Despres, J.-P. et al.: Evidence for a regional component of body fatness in the association with serum lipids in men and women. *Metabolism*, 34(10):567-573(1985) CC 28(43)140

Lanska, D. J., Lanska, M. J., Hartz, A. J., Rimm, A. A.: Factors influencing anatomic location of fat tissue in 52 953 women. *Int. J. Obesity*, 9:29-38(1985) Lit. 13.522

Foster, C. J., Weinsier, R. L., Birch, R., Norris, D. J., Bernstein, R. S., Wang, J., Pierson, R. N., Itallie, T. B. van: Obesity and serum lipids: an evaluation of the relative contribution of body fat and fat distribution to lipid levels. *Int. J. Obesity*, 11:151-161(1987) Lit. 18.735

Norgan, N. G., Ferro-Luzzi, A.: Simple indices of subcutaneous fat patterns. *Ecol. Food Nutrition*, 18:117-123(1986) Lit. 18.886

Mueller, W. H., Wear, M. L., Hanis, C. L., Barton, S. A., Schull, W. J.: Bpdy circumferences as alternative to skinfold measurements of body fat distribution in Mexican Americans. *Int. J. Obesity*, 11:309-318(1987) Lit. 19.161

Baumgartner, R. N., Roche, A. F., Chumlea, Wm, C, Siervogel, R. M., Glueck, Ch. J.: Fatness and fat patterns: associations with plasma lipids and blood pressure in adults, 18 to 57 years of age. *Amer. J. Epidem.*, 126:614-618(1987) Lit. 20060

Smoak, C. G., Burke, G. L., Webber, L. S., Harsha, D. W., Srinivasan, S. R., Berenson, G. S.: Relation of obesity to clustering of cardiovascular disease risk factors in children and young adults. The Bogalusa Heart Study. *Amer. J. Epidem.*, 125:364-372(1987) Lit. 20.210

Reichley, K. B., Mueller, W. H., Hanis, C. L., Joos, S. K., Tulloch, B. R., Barton, S., Schull, W. J.: Centralized obesity and cardiovascular disease risk in Mexican Americans. *Amer. J. Epidemiology*, 125:373-386(1987) Lit. 20.121

Garn, S. M., Sullivan, T. V. E., Tenhave, T. R.: The need for differential weightings with summed skinfold values. *Ecology Food Nutr.*, 20:157-159(1987) Lit. 19.738

Peiris, A. N., Struve, M. F., Kissebah, A. H.: Relationship of body fat distribution to the metabolic clearance of insulin in premenopausal women. *Intern. J. Obesity*, 11:581-589(1987) Lit. 19.830

Hediger, M. L., Katz, S. H.: Fat patterning, overweight and adrenal androgen interaction in black adolescent females. *Human Biology*, 58(4):585-600(1987) Lit. 19.897

Mueller, W. H., Deutsch, M. I., Malina, R. M., Bailey, D. A., Mirwald, R. L.: Subcutaneous fat topography: age changes and relationship to cardiovascular fitness in Canadians. *Human Biology*, 58(6):955-73(1986) Lit. 19.908

Ergänzung:

Perussel, L. et al.: Importance of the abdominal fat in the contribution of environmental factors to serum lipid variation. *Int. J. Obesity*, 11(4):483A(1987) Lit. 20.677

Bray, G. A., Bouchard, C.: Role of fat distribution during growth and its relationship to health. *Amer. J. clin. Nutr.*, 47:551-552(1988) Lit. 20.984

Johnston, F. E., Wadden, T. A., Stunkard, A. J., Pena, M., Wang, J., Pierson, R. N., Italie, Th. B. van: Body fat deposition in adult obese women. I. Patterns of fat distribution. II. Changes in fat distribution accompanying weight reduction. *Amer. J. clin. Nutr.* 47:225-234(1988) Lit. 20.986